

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
3 October 2002 (03.10.2002)

PCT

(10) International Publication Number  
**WO 02/077793 A1**

(51) International Patent Classification<sup>7</sup>: **G06F 7/00**,  
11/30, 12/14, 15/00, 15/16, 15/173, 17/00, 17/21, 17/24,  
H04L 9/00, 9/32

MA 02476 (US). **MCLEOD, Scott, C.** [US/US]; 24  
Carriage Drive, Chelmsford, MA 01824 (US). **NOR-**  
**MAN, Peter, D.** [US/US]; 56 Palmer Street, Arlington,  
MA 02174 (US). **WILLOUGHBY, Kevin** [US/US]; 10  
Church Street, Framingham, MA 07102 (US).

(21) International Application Number: PCT/US01/09628

(22) International Filing Date: 26 March 2001 (26.03.2001)

(74) Agent: **CANNAVALE, Stephen**; Goodwin Procter LLP, 7  
Becker Farm Road, Roseland, NJ 07068 (US).

(25) Filing Language: English

(26) Publication Language: English

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU,  
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ,  
DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR,  
HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR,  
LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ,  
NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM,  
TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.


(72) Inventors; and

(75) Inventors/Applicants (*for US only*): **COULTHARD,**  
**Christopher, M.** [GB/US]; 88 Park Ave., #402, Arlington,

(84) Designated States (*regional*): ARIPO patent (GH, GM,  
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian

[Continued on next page]

(54) Title: DEFINING CONTENT ZONES



(57) Abstract: The system disclosed herein organizes computer-generated content into plural content zones. The system stores at least one rule defining which content may be included in a target content zone (51502), and determines whether selected content (51502) complies with the at least one rule (51503). The system then associates the selected content with the target content zone (51504) in a case that the selected content complies with the at least one rule.

WO 02/077793 A1



patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

*For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

**Published:**

— *with international search report*

## DEFINING CONTENT ZONES

### Cross Reference To Related Application

5 U.S. Patent Application No. 09/248,370, filed February 8, 1999 and entitled "Content Certification", is hereby incorporated by reference into the subject application as if set forth herein in full.

### Background of the Invention

#### 10 Field of the Invention

The present invention is related to organizing computer-generated content, such as Web pages, into zones based on a set of predefined rules.

#### Description of the Related Art

15 Various systems currently exist for certifying the content of computer-generated data, such as Web pages. For example, U.S. Patent Application No. 09/248,370 describes a certification system that incorporates digital signatures into Web pages, and that maintains a record associating each  
20 Web page with a corresponding digital signature. To certify a Web page, the system compares the digital signature of a displayed Web page to that maintained in the record. If the two match, the Web page is certified; otherwise it is not.

Java JAR is example of a certification system that  
25 uses lists and digital signatures. Briefly, Java JAR is directed to ensuring the integrity of information in "composite" files; that is, files which contain multiple components, each of which has its own guarantee of integrity. An example of composite is Web page 1 of Figure  
30 1 which may include image element 2, image element 4, and

image element 5. The Java JAR system confirms that the content is intact by comparing the content with a hash code generated therefrom by the sender and encrypted with a key to guarantee its authenticity.

5           While systems like those above go a long way toward increasing the reliability of computer-generated content such as Web pages, there is still room for improvement. For example, conventional certification systems are limited to providing one level of certification (i.e., "certified").  
10 Using such systems, it is not possible to provide varying degrees of certification for different Web pages, etc.

          This can be a hindrance, particularly when there is a need for Web pages having a specific certification level. Accordingly, there exists a need for a system which provides  
15 for plural (e.g., two or more) levels of page certification, and which takes advantage of these plural levels of certification to organize pages in a useful manner. Looking beyond the realms of Web pages and certification levels, there also exists a need for a way that users can organize  
20 computer-generated content (i.e., any type of data, not merely Web pages) in a manner which best suits their needs.

#### Summary of the Invention

          The present invention addresses the foregoing needs. In particular, the invention is a system that enables a user  
25 to define "content zones" for holding specific computer-generated content. Each content zone is defined by user-specified rules for that zone. Accordingly, by specifying particular rules, it is possible to define zones which contain any one or more types of content.

30           Taking certified Web pages as an example, using the present invention it is possible to certify the contents of Web pages at one of a plurality of certification levels.

For example, three levels of certification may be provided: "high" indicating that a page contains information that is highly reliable, "medium" indicating that the page contains information that is less reliable, and "low" indicating that the page contains information that is still less reliable.

Using the invention it is thus possible to incorporate groups of Web pages into zones based on their certification level merely by including such a rule in the zones' manifests. Alternatively, it is possible to organize the Web pages based on their content or URL. It is also possible to organize the Web pages based on both their content and their certification levels. For example, a Web site may be organized into a "products for sale" zone, an "unsupported tools" zone, and a "personal opinion" zone. In this example, all Web pages in the "products for sale" zone may have a "high" certification level; all Web pages in the "unsupported tools" zone may have a "medium" certification level; and all Web pages in the "personal opinion" zone may have a "low" certification level.

According to one aspect, the invention is a system that organizes computer-generated content (e.g., Web pages) into plural content zones. The system stores at least one rule defining which content may be included in a target content zone, and determines whether selected content complies with the at least one rule. The system then associates the selected content with the target content zone in a case that the selected content complies with the at least one rule.

In preferred embodiments, the invention incorporates one or more of the following features/functions: The selected content comprises a Web page. The at least one rule defines a specific level of certification required for the target content zone, the determining comprises

determining a level of certification of the selected content, and the associating comprises associating selected content having the specific level of certification with the target content zone. The at least one rule defines a  
5 specific type of content that may be included in the target content zone, the determining comprises determining a type of the selected content, and the associating comprises associating selected content having the specific type with the target content zone. The associating comprises  
10 incorporating, into a manifest for complying content, a rule indicating that the complying content is part of the target content zone. The associating comprises incorporating, into rules defining which content may be included in the target content zone, rules indicating that complying content is  
15 part of the target content zone.

Advantages of the invention in addition to those set forth above will become apparent in view of the following description, including the figures, and the claims.

#### Brief Description of the Drawings

20 Figure 1 shows a composite Web page.

Figure 2 shows a network system on which the certification process may be implemented.

Figure 3 shows the graphical user interface of a Web browser that may be used with the certification process.

25 Figure 4 shows a dynamic Web page that can be certified by the certification process.

Figure 5 shows process steps for certifying a dynamic Web page.

Figure 6 shows an example of a manifest used by the  
30 certification process to certify a dynamic Web page.

Figure 7 shows a Web page that can be used to initiate certification of individual static elements of a dynamic Web page.

Figure 8 shows the process of certifying individual  
5 static elements of a dynamic Web page.

Figure 9 shows a client retrieving a dynamic Web page from a Web server.

Figure 10 shows providing user input to a Web server.

10 Figure 11 shows requesting certification of a dynamic Web page.

Figure 12 shows process steps for certifying the content of dynamic Web pages and other dynamically-generated content.

15 Figure 13 shows issuing a certification message relating to a certification of a dynamic Web page.

Figure 14 shows a certificate that may be issued for certified Web pages.

20 Figure 15 shows process steps for organizing Web pages (or other content) into zones.

Figure 16 shows an example of a manifest used to organize content into zones.

Figure 17 is an abstract view of Web pages on a Web site organized into zones.

## 25 Description of the Preferred Embodiments

The following description of the preferred embodiments of the invention relates to Web pages. It is noted up front, however, that the invention is not limited to use with Web pages. Rather, all aspects of the invention  
30 can be used with any computer-generated content including, but not limited to, rows in a database, an entire database, computer-generated queries, documents, and the like.

The present invention is preferably implemented using a client-server architecture, such as that shown in Figure 2. This architecture includes client 6, certification server 7, and Web server 9 connected via  
5 network 10. Network 10 may comprise any type of network or communications medium, including, but not limited to, one or more of the following: the Internet, a local area network ("LAN"), a wide area network ("WAN"), a wireless (e.g., ATM) network, a logical network within a single computer, some  
10 other form of programmatic communication such as inter-process communications or dynamic link libraries, or any combination thereof.

Client 6 is preferably a personal computer ("PC") or similar data processing device. Client 6 includes network  
15 interface 11 for interfacing to network 10, display screen 12 for displaying information to a user, keyboard 14 for inputting text and user commands, mouse 15 for positioning a cursor on display screen 12 and for inputting user commands, disk drive 16 for reading from and writing to floppy disks  
20 installed therein, and CD-ROM drive 17 for accessing data stored on CD-ROM.

Close-up view 18 shows the internal structure of client 6. Client 6 includes memory 19 which is a computer-readable medium, such as a computer hard disk, for storing  
25 information. In the preferred embodiment memory 19 stores operating system 20, applications 21, and data 22. Microsoft™ Windows98™ is a one operating system that may be used with the invention; however, the invention is not limited to use therewith.

30 Applications 21 include Web browser 24, among others. An example of a Web browser that may be used with the invention is Netscape™ Navigator™. Web browser 24 displays a graphical user interface ("GUI") to a user,



through which the user may access information via the Internet (e.g., Web sites, individual Web pages, etc.). An example of such a GUI is shown in Figure 3.

Client 6 also includes display interface 26,  
5 keyboard interface 27, mouse interface 29, disk drive interface 30, CD-ROM drive interface 31, computer bus 32, RAM 34, and processor 35. Processor 35 preferably comprises a microprocessor or the like for executing applications, such as those noted above, out of RAM 34. Such  
10 applications, including browser 24, may be stored in memory 19 as noted above or, alternatively, on a floppy disk in disk drive 16 or CD-ROM in CD-ROM drive 17. In this regard, processor 35 accesses applications and data stored on floppy disk via disk drive interface 30 and accesses applications  
15 and data stored on CD-ROM via CD-ROM interface 31.

Web server 9 may comprise a computer having features similar to client 6 for providing remote access to the Web site of an organization. Web server 9 is connected to other computers (not shown) in the organization via LAN 36 (or  
20 network 10). Web server 9 is also connected to certification server 7 via network 10 or other medium.

Web server likewise includes a processor 23 and a memory 28, among other things, as shown in close-up view 13. Stored in this memory is assembly engine 25 and Web page  
25 elements 33. Assembly engine 25 is a program that is executed by processor 23 to assemble Web pages. More specifically, a single Web page may be composed of a plurality of static and dynamic elements, such as images, applets, text, sound, other Web pages, etc. In response to  
30 requests received from client 6, assembly engine 25 retrieves those elements (e.g., from memory 28) and combines them in a predetermined manner so as to form the Web page. Representative examples of commercially-available assembly

engines that may be used in connection with the present invention include ATG Dynamo, Servlets, JSP and ASP

Certification server 7 likewise preferably comprises a computer having features similar to client 6. As shown in close-up view 38, certification server 7 includes, among other things, memory 39 for storing both applications and certification information 48 which includes the manifests described below. Memory 39 may include one or more memory devices, such as a computer hard disk, redundant array of inexpensive disks ("RAID"), optical disk drive, and the like. Processor 40 is also included on certification server 7 so as to execute applications stored in memory 39 and to provide the resulting output to the network.

Among the applications stored in memory 39 is certification engine 41. Certification engine 41 comprises computer-executable code that runs on certification server 7 to certify Web pages and other dynamic pages based on their content and/or certification information stored in their elements. Certification engine 41 also organizes sets of Web pages into plural zones based on their levels of certification, the type of information contained therein, or the like, as described in more detail below.

It is noted that certification server 7 and Web server 9 may be one in the same; however, since this is not a requirement, the more general case of separate Web and certification servers is depicted in Figure 2. For that matter, the invention may also be implemented, in its entirety, on a single computer. That is, the functions of client 6, certification server 7 and Web server 9 (or its equivalent) may be implemented on a single computer.

### Dynamic Content Certification

Figures 4 to 14 depict the operation of certification engine 41 in the context of certifying dynamically-generated (or simply "dynamic") Web pages. At this point, it is repeated that although this embodiment of the invention is described with respect to Web pages, the invention is not limited to use with Web pages and can be used to certify any computer-generated content.

As described in the "Background", a Web page is dynamic if any of its contents is specified generically or generated programmatically or by query or in any other situation where the content is not specified uniquely and immutably a priori. That is, many Web pages are composites, meaning that they are composed of plural elements such as images, applets, text, sound, etc. Each individual element may be static if all of its components are specified uniquely and immutably a priori; however, the Web page itself is still dynamic if the specification of the elements within the page are not so specified. It is also possible for the elements themselves to be dynamic because of their components or because they are programs or queries. The resolution of these dynamic objects to static objects generally occurs in the assembly engine, but it is also possible for this process to occur in the browser (e.g., with JavaScript). In this regard, there is no reason, in principle, why some or all of the functions of the certification server could not take place in the client given the necessary integration with the browser.

By way of example, Figure 4 shows a hypothetical Web page 42 displayed by browser 24. Web page 42 "builds" an automobile based on user-selected features such as model, year, color, stereo, etc. That is, Web server 9 stores, in a manifest for Web page 42, plural alternatives for text

element 43 and image elements 44 and 45. A user selects which features 46 are to be included in the automobile, and a program or applet resident on Web page 43 determines which of the text and images stored on Web server 9 should be  
5 displayed as elements 43, 44 and 45 based on the selected features. Browser 24 then transmits this information to Web server 9, where assembly engine 25 retrieves the appropriate text and images from memory 28 (or, more generally, any database on which they reside) and assembles them into Web  
10 page 42. Though text and images are depicted in Figure 4, the alternatives are not limited to these; that is, the alternatives may include sound, applets or any other type of information that can be incorporated into a Web page.

Figure 5 shows process steps for certifying a  
15 dynamic Web page. Though the process steps of Figure 5 are directed to certification of a Web page, once armed with the disclosure herein, one of ordinary skill in the art could easily use these steps to certify any type of computer-generated dynamic content.

20 The process of Figure 5 begins in step S501 by defining a manifest for the Web page. The manifest is generally defined by the administrator of the Web site on which the Web page resides and provided to certification server 7 where it is indexed to the URL of the Web page and  
25 stored in memory. The manifest includes a set of rules that specify information to be included on the Web page. In the present invention, the set of rules includes alternatives for information that may be included on the Web page, though they may specify required information as well.

30 An example of a manifest 47 for Web page 42 is shown in Figure 6. As shown, manifest 47 includes a rule 49 requiring display of an automobile image, which defines alternatives 54 (e.g., an image of a convertible, an image

of a 4-wheel drive vehicle, etc.). It also includes a rule 55 requiring validation of the certification results. This may be done in accordance with a program or applet on the Web page.

5           Certification information for the rules is provided in step S502 (which may be performed before or after step S501). That is, step S502 confirms that each alternative element (e.g., image, applet, etc.) that could be included on the Web page is certified. For Web page 42, this means 10 confirming that each image element 44 and 45, and any other information that Web page 42 may include, is certified. In the preferred embodiment of the invention, the certification of static elements in step S502 is performed by certification engine 41 in accordance with the process 15 described in U.S. Patent Application No. 09/248,370. A brief description of this process is as follows.

Figure 7 shows a password protected Web page 57 for requesting certification of an element. On Web page 57, an element, such as an image, is submitted for certification 20 simply by dragging and dropping it onto one or more of defined certification controls 59 and 60. The certification control that receives the element prepares and transmits a certification request to certification server 7 specifying the content of the element and the certification desired.

25           As shown in Figure 8, a certification request 61 includes content 62 of the element submitted for certification, together with other information 64 such as the certification desired (e.g., site-wide certification, legal department certification, etc.), the author(s) of the 30 element, and a uniform resource locator ("URL") that specifies a Web page on which the element is to be located. Request 61 may also include information such as an element revision number, content keywords, title, etc.

Certification server 7 processes the received certification requests by distributing content 62 to those in an organization that could potentially provide approval for certification. For example, certification server 7 may  
5 distribute the content to all members of the organization's legal department when a request is made for legal department certification. Workflow software, E-mail daemons, and other techniques, executing on computers other than the certification server, can alternatively be used to  
10 distribute the content for certification.

As shown in Figure 8, after an individual 65 receives and reviews the content, the individual can notify certification server 7 of his approval by sending a certification message 66. Certification message 66 can  
15 include the content and the other information included in the certification request. This message can also include information 67 that describes the individual transmitting the certification message, the type of certification granted (e.g., an individual may have the capacity to certify  
20 content for both the marketing and legal departments of the organization), and a level of approval (e.g., "for internal use only" or "for publication on the Internet"). Additionally, the certification message may include a digital signature 68 belonging to the individual submitting  
25 the certification message and information to confirm the digital signature (e.g., X.509), or it may include information used by other authentication techniques.

Certification engine 41 processes received certification messages in accordance with certifying  
30 instructions. These instructions may be embedded in certification engine 41 or retrieved thereby. In one embodiment of the invention, these certifying instructions authenticate a certification message to ensure that an

individual claiming to have approved the submitted content was, in fact, the one who produced certification message 66. After authentication, the certifying instructions can determine whether certification message 66 satisfies the  
5 criteria for the certification requested. For example, the certifying instructions can determine whether certification message 66, alone or in combination with previously-received certification messages, is sufficient to obtain legal department certification.

10 If the received certification message 66 does not satisfy the requisite certification criteria, the certifying instructions can store the received certification and await further certification messages. The process may store a hash for submitted content awaiting further certification to  
15 ensure that subsequent certification is for the same content as the certification already received. The process can also attempt to certify any links or other objects referenced by the content.

If certification message 66 satisfies the requisite  
20 certification criteria, the certifying instructions determine verification information from the certified content or other information provided. In this regard, verification information includes data that identifies the certified content such as a URL, compressed or uncompressed  
25 portions of the content, and/or an assigned identification number. The verification information may also include one or more hash keys (e.g., an MD5 hash and an SHA hash). A hash key is produced by a one-way function and typically requires little storage space (e.g., 160-bits), and is  
30 nearly guaranteed to be unique for given content.

After storing the content's certification and verification information, e.g., in memory 39, the certifying instructions can produce a digital signature (e.g., a W3C

DSig (Digital Signature Group) compliant signature) for content 62. This digital signature can include computed hash, the content's URL, or any other verification or certification information (not shown).

5           Once the digital signature has been generated, the certifying instructions determine whether content 62 can be dynamically modified to include the digital signature. For example, HTML and XML permit dynamic insertion of digital signatures into the content (e.g., as header information or  
10 as a newly defined tag). Inclusion of the digital signature in content 62 ensures that the digital signature travels with the content. Thereafter, certified content 69, including the digital signature, is transmitted back to Web server 9, as shown in Figure 8.

15           Returning to Figure 5, following step S502 processing proceeds to step S503. In this regard, any page, even an initial page, may be subject to the certification process of the present invention. Thus steps S503 and S504 are not necessary, since any attempt to retrieve a page may  
20 start at step S505. Nevertheless, for illustration's sake, steps S503 and S504 are included in the process.

          In step S503, a user logs onto client 6, executes browser 24, and requests a Web page from Web server 9. In response to this request, Web server 9 transmits a Web page,  
25 such as that shown in Figure 4, to client 6. There, the Web page is displayed. This process is depicted graphically in Figure 9. At this point, it is noted that the invention does not require a user to have an initial page into which to put initial information. Any interaction with the user  
30 supplies at least authentication information and perhaps information from "cookies".

          Next, in step S504, the user inputs information into the Web page. For example, in the case of Web page 42, the



user may select options for building an automobile. Browser 24 transmits these user-selected options (i.e., the user input) to Web server 9, as shown in Figure 10. There, assembly engine 25 determines which elements (e.g., images, text, applets, sound, etc.) are to be included on the Web page. Assembly engine 25 then retrieves the appropriate elements from memory 28 (or any other database on which they reside), and assembles the Web page therefrom. Certification of the Web page may take place before, during or after this process.

More specifically, each element on the Web page may be certified prior to assembly, as described above with respect to Figure 8 and in U.S. Patent Application No. 09/248,370. Alternatively, each element may be certified as part of the Web page on an ad hoc basis, i.e., during assembly. As still another alternative, certification may take place following assembly of the Web page. With reference to Figure 6, pre-assembly rules 90 control certification prior to assembly, during-assembly rules 91 control certification during assembly, and post-assembly rules 92 control certification post assembly. As shown, each of these includes prologue rules, body rules, and epilogue rules, which can specify an order of execution for the rules.

Assuming that certification takes place following assembly of the Web page, in step S506 assembly engine 25 extracts identification and certification information from each element of the Web page. For example, it extracts the URL of the Web page, the digital signature and/or content of each element (e.g., elements 43, 44 and 45 in Figure 4) in the Web page, an identification number of each element, etc.

Next, in step S507, assembly engine 25 issues a request to certification server 7. This is depicted

graphically in Figure 11. The request can be encrypted for security purposes, and includes the information extracted in step S506, together with a request for certification of the Web page.

5           Thereafter, step S508 determines whether the Web page is certified, meaning that the information contained therein is valid. In the present embodiment, the certification process is performed in certification server 7 by certification engine 41. As noted above, however, in  
10 other embodiments of the invention, the Web server and certification server functions may be implemented on the same computer, in which case the certification process would take place on that single computer.

Figure 12 depicts the certification process. To  
15 begin, in step S1201, certification server 7 receives the request for certification from assembly engine 25 on Web server 9. Based on this request, and the information contained therein, certification engine 41 determines whether the information in the Web page complies with the  
20 set of rules stored therefor. To this end, certification engine 41 determines whether each of the elements that make up the Web page corresponds to at least one of the alternatives contained in the manifest for that Web page. This is done in step S1202, e.g., by comparing an assigned  
25 identification number or hash for each element to those contained in the manifest.

For each static element that corresponds to an alternative in the manifest, in step S1203 certification engine 41 also determines whether that element is certified.  
30 This is done, e.g., by comparing one or more of the digital signature, content, etc. for that element to corresponding verification information therefor. If there is a match, then that individual element is considered certified.

Alternatively, certification information can be included in the manifest, in which case the manifest can be consulted to determine whether each element is certified.

Finally, for each dynamic element that corresponds  
5 to an alternative in the manifest, in step S1204  
certification engine 41 also determines whether that element  
is certified. Each such element includes a manifest, and a  
requisite rule or rules are executed for that element. The  
results of these executions are certified by subsequent  
10 rules to see what form of certification is required for the  
entire Web page. This process is similar to that described  
above.

Thus, following step S1204 if the Web page complies  
with the manifest stored on certification server 7, i.e., if  
15 each of its elements complies with a rule on the manifest  
and is certified, then the entire Web page is considered  
certified. Otherwise, it is not. In this regard, the  
certification of the entire page depends upon the epilogue  
rules working on the certification results of the prologue  
20 and the body. In the absence of any explicit global  
certification rules, rules from a zone or site manifest  
(described below) may be used.

In preferred embodiments, the invention provides for  
several different levels of certification. For example,  
25 three such levels may be provided, including "high" (or  
"platinum") indicating that the information is highly  
reliable, "medium" (or "gold") indicating a relatively lower  
degree of reliability, and "low" ("silver" or "bronze")  
indicating a still lower degree of reliability. Though only  
30 three levels of certification are described here, the  
invention is not limited to three. Rather, any number of  
certification levels may be used. The level of

certification for each alternative in a Web page manifest is preferably stored in the rule for that alternative.

Accordingly, returning to Figure 5, if the Web page is certified in step S508, in step S509 certification engine 41 may extract a level of certification (not shown) for each element in the Web page using the manifest. Of course, if only one level of certification is provided, then that level will be extracted in step S509. Based on the level of certification of each element, a level of certification for the entire Web page can be determined. Generally, the level of certification of the entire Web page will correspond to the lowest level of certification of an element on that Web page. However, other methods of determining the certification level of the entire Web page may also be used with the invention.

Following step S509, processing proceeds to step S510. In step S510, certification engine 41 issues a message 74 to assembly engine 25. This is depicted graphically in Figure 13. In this case, i.e., where the Web page has been certified, the message indicates that the Web page has been certified. The message may also include a certificate that is transmitted to the user and displayed along with the Web page, as shown in Figure 13. An example of such a certificate 78 is shown in Figure 14. Where more than one level of certification is provided, the message and/or certificate may also indicate the level of certification for the Web page. Following step S510, processing ends.

Returning to step S508, in a case that the Web page has not been certified, message 74 is still output by certification engine 41 in step S511. This time, however, the message indicates that the Web page has not been certified. The message may then be transmitted from Web

server 9 to client 6 and/or to the Web site administrator. In a case that the message is provided to the site administrator, it may include instructions indicating exactly which portions of the Web page were not certified and why. In step S512, this message indicating that the Web page is not certified may be transmitted to the client, where it is displayed. The Web site content may or may not be transmitted and displayed therewith, depending upon how the system is configured. Following step S512, the certification process ends.

In alternative embodiments of the invention, partial certification of a Web page may be provided. More specifically, to certify the contents of a Web page in accordance with the process shown in Figure 5, each element thereof must correspond to one alternative in the Web page manifest. If one element is not found on the manifest, the Web page will not be certified. In alternative embodiments, however, partial certification of a Web page may be provided if at least one element on the Web page corresponds to at least one alternative in the manifest for that Web page. In the case of partial certification, the output message and/or certificate would be changed accordingly.

#### Defining Content Zones

This aspect of the system builds on the concept of different certification levels introduced above. Although this embodiment is described in the context of Web pages, the invention can be used with any computer-generated content. In this embodiment, certification engine 41 organizes individual Web pages on a Web site into zones. Which zone a particular Web page is in depends upon the rules stored in a manifest for that zone. For example, which zone a Web page is located in may depend upon a level

of certification of that Web page. In this example, the level of certification of dynamic Web pages may be determined in the manner described above. However, since this aspect is not limited to use with dynamic Web pages, certification can be achieved using any method.

Figure 15 shows process steps for implementing this aspect of the system. These process steps may be executed to define a single zone. Other zones may be defined in the same manner. The process of Figure 15 may be implemented on certification server 7 in certification engine 41 or, alternatively, on a similar program executing on Web server 9. Step S1501 begins the process.

More specifically, step S1501 stores a manifest containing one or more rules that define which pages may be included in the zone. As above, these rules may be defined and input by the administrator of a Web site. The rules may include a variety of factors. For example, the rules may define a specific level of certification required for Web pages in the zone, a "type" of Web page that may be included in the zone (e.g., products as defined by a URL such as "www.NovaSoft.com/products" or other means), and the like. Additional rules may also be provided to further differentiate the zones. For example, if a zone specifies "products for sale", a rule may be included in the manifest to specify that only products having a release date "less than or equal to today" may be included in the zone. Figure 16 depicts an example of a "products for sale" manifest that may be used by the present invention to define such a zone.

Once a set of rules has been defined for the zone, certification engine 41 examines the content of Web pages in the Web site in order to determine which of those Web pages belong in the current zone. In this regard, a single Web page may be included in more than one zone; however, for the

sake of clarity, the present description will assume that each Web page is included in only one zone.

Step S1502 thus selects each Web page, e.g., by its URL, and then step S1503 determines whether that page  
5 complies with the rules set forth in the zone manifest. For example, step S1503 may determine the certification level of the Web page by examining its certification information, as well as any other information required for the zone. That is, step S1503 may determine whether the Web page is related  
10 to a product by examining the page's URL, and whether the product has been released as of "today" by examining the content of the Web page. Other information may also need to be examined depending upon the number and type of rules specified in the zone manifest.

15 In the case that a Web page complies with the rules in the zone's manifest, step S1503 concludes that the Web page belongs in the current zone. Accordingly, processing proceeds to step S1504. Step S1504 associates each complying page with the current zone. This can be done in a  
20 number of ways. For example, step S1504 may incorporate, into a manifest of each complying Web page, a rule indicating that the Web page is part of the current zone. Instead of, or in addition to, incorporating a rule into the Web page's manifest, step S1504 may incorporate into the  
25 zone manifest one or more rules indicating which Web pages are part of the zone. For example, the URLs of Web pages included in a zone may be included in that zone's manifest.

Following step S1504, or in a case that a Web page does not comply with the rules of the current zone,  
30 processing proceeds to step S1505. Step S1505 determines whether any unexamined Web pages remain in the site. If there are such pages, processing returns to step S1502, whereafter steps S1503 to S1505 are repeated for the

remaining images. Otherwise, processing for the current zone ends. However, other zones may be defined, as desired.

Figure 17 shows an abstract view of a Web site that has been divided into three zones -- a "products for sale" zone 80, an "unsupported tools" zone 81, and a "personal opinions" zone 82. In this example, all Web pages 84 in the "products for sale" zone have a "high" certification level (e.g., the information in those pages is guaranteed accurate by the site owner); all Web pages in the "unsupported tools" zone have a "medium" certification level (e.g., the information in those pages is deemed useful by the site owner, but its accuracy is not guaranteed); and all Web pages in the "personal opinion" zone have a "low" certification level (e.g., the site owner has no opinion concerning the accuracy of the information on those pages). By virtue of this setup, a user is able to determine, simply by what zone of the Web site the user is in, the reliability of the information contained therein.

In this regard, Web pages in a particular zone may contain visible certification (or other "type") indicators. Accordingly, a user can determine in which zone a Web page is located simply by looking at the indicator. In cases where the Web server and certification server are one in the same, certification engine 41 may simply incorporate the appropriate certification indicators into the appropriate Web pages. Where the two servers are different, certification server 7 may provide the certification indicators to Web server 9, which may then incorporate them into the Web pages for the site.

In preferred embodiments, the invention also maintains a record of movement between zones. That is, each time a user enters a new URL via browser 24, there is the potential of movement to a different zone. Each time the



user enters a new zone, Web server 9 and/or certification server 7 may issue a message to the user to that effect. One or both of these servers may maintain a record of URLs and corresponding zones visited by the user during a  
5 predetermined period of time.

In addition to defining manifests for individual pages and zones, the present invention also can be used to define a manifest for an entire Web site. The manifest for a Web site would be similar to that shown in Figure 16 for a  
10 zone. Accordingly, a detailed description thereof is omitted here for the sake of brevity. Suffice it to say, that rules for a site manifest may be based on certification, as described above, or any other relevant information. Only Web pages and zones that comply with the  
15 site manifest may be included in that site. Moreover, a site-wide certification, similar to that described above for zones can be provided for sites.

Finally, it is noted that the invention is not limited to use in the exact manner set forth herein. For  
20 example, the process steps of Figures 5, 12 and 15 need not be executed in the exact order shown, so long as the functionality of the system is maintained. Also, the invention is not limited to use with the hardware described herein, or to use with the types of images described above.

25 In this regard, the present invention has been described with respect to particular illustrative embodiments. It is to be understood that the invention is not limited to the above-described embodiments and modifications thereto, and that various changes and/or  
30 modifications are within the scope of the appended claims.

What is claimed is:

1           1. A method of organizing computer-generated  
2 content into plural content zones, for a target content zone  
3 the method comprising:  
4           storing at least one rule defining which content may  
5 be included in the target content zone;  
6           determining whether selected content complies with  
7 the at least one rule; and  
8           associating the selected content with the target  
9 content zone in a case that the selected content complies  
10 with the at least one rule.

1           2. A method according to claim 1, wherein the  
2 selected content comprises a Web page.

1           3. A method according to claim 1, wherein the at  
2 least one rule defines a specific level of certification  
3 required for the target content zone, the determining  
4 comprises determining a level of certification of the  
5 selected content, and the associating comprises associating  
6 selected content having the specific level of certification  
7 with the target content zone.

1           4. A method according to claim 1, wherein the at  
2 least one rule defines a specific type of content that may  
3 be included in the target content zone, the determining  
4 comprises determining a type of the selected content, and  
5 the associating comprises associating selected content  
6 having the specific type with the target content zone.

1           5. A method according to claim 1, wherein the  
2 associating comprises incorporating, into a manifest for  
3 complying content, a rule indicating that the content is  
4 part of the target content zone.

1           6. A method according to claim 1, wherein the  
2 associating comprises incorporating, into rules defining  
3 which content may be included in the target content zone,  
4 rules indicating that complying content is part of the  
5 target content zone.

1           7. An apparatus for organizing computer-generated  
2 content into plural content zones, the apparatus comprising:  
3           a memory which stores computer-executable process  
4 steps; and  
5           a processor which executes the computer-executable  
6 process steps so as, for a target content zone, (i) to store  
7 at least one rule defining which content may be included in  
8 the target content zone, (ii) to determine whether selected  
9 content complies with the at least one rule, and (iii) to  
10 associate the selected content with the target content zone  
11 in a case that the selected content complies with the at  
12 least one rule.

1           8. An apparatus according to claim 7, wherein the  
2 selected content comprises a Web page.

1           9. An apparatus according to claim 7, wherein the  
2 at least one rule defines a specific level of certification  
3 required for the target content zone, the determining  
4 comprises determining a level of certification of the  
5 selected content, and the associating comprises associating  
6 selected content having the specific level of certification  
7 with the target content zone.

1           10. An apparatus according to claim 7, wherein the  
2 at least one rule defines a specific type of content that  
3 may be included in the target content zone, the determining

4 comprises determining a type of the selected content, and  
5 the associating comprises associating selected content  
6 having the specific type with the target content zone.

1           11. An apparatus according to claim 7, wherein the  
2 associating comprises incorporating, into a manifest for  
3 selected content, a rule indicating that the selected  
4 content is part of the target content zone.

1           12. An apparatus according to claim 7, wherein the  
2 associating comprises incorporating, into rules defining  
3 which content may be included in the target content zone,  
4 rules indicating that complying content is part of the  
5 target content zone.

1           13. A computer program to organize computer-  
2 generated content into plural content zones, the computer  
3 program comprising:  
4           code to store at least one rule defining which  
5 content may be included in a target content zone;  
6           code to determine whether selected content complies  
7 with the at least one rule; and  
8           code to associate the selected content with the  
9 target content zone in a case that the selected content  
10 complies with the at least one rule.

1           14. A computer program according to claim 13,  
2 wherein the selected content comprises a Web page.


1           15. A computer program according to claim 13,  
2 wherein the at least one rule defines a specific level of  
3 certification required for the target content zone, the  
4 determining code determines a level of certification of the

5 selected content, and the associating code associates  
6 selected content having the specific level of certification  
7 with the target content zone.

1           16. A computer program according to claim 13,  
2 wherein the at least one rule defines a specific type of  
3 content that may be included in the target content zone, the  
4 determining code determines a type of the selected content,  
5 and the associating code associates selected content having  
6 the specific type with the target content zone.

1           17. A computer program according to claim 13,  
2 wherein the associating code incorporates, into a manifest  
3 for complying content, a rule indicating that the complying  
4 content is part of the target content zone.

1           18. A computer program according to claim 13,  
2 wherein the associating code incorporates, into rules  
3 defining which content may be included in the target content  
4 zone, rules indicating that complying content is part of the  
5 target content zone.



**FIG. 1**





FIG. 2



**FIG. 3**







FIG. 4

**FIG. 5**

Web Page Manifest for 1999 Automobile

47

```

SecurityInfo
{
    Hash = 148ea5;
    Signature = 347ac5, 3dd23f;
}
Pre-assembly rules
{
    Prologue Rules
    {
        Rule
        {
            RuleName = ReleaseAfter ("6/6/99"; /* this rule can be checked either before the invocation of assembly engine */
            /* or independently for purposes of validation */
        }
    }
    Body Rules
    {
        /* we can have rules about static items here if desired */
    }
    Epilogue Rules
    {
    }
}
During-assembly rules
{
    Prologue rules
    {
        Rule
        {
            RuleName = validateUserInput; /* input is an implied parameter */
        }
    }
    Body rules
    {
        Rule
        {
            Item = image.gif;
            RuleName = must_be_one_of;
            Arguments = ("4WheelDrive.gif", "convertible.gif", "2door.gif");
            /* We don't need security data on the content pieces because we can look up their certificates in the server */
            /* but under certain circumstances, such data may be included */
        }
    }
    Epilogue rules
    {
        Rule
        {
            RuleName = ValidateCertificateResults;
            /* results of previous rules and contexts of the user, the page, and the link are implied arguments */
        }
    }
}
Post-assembly rules
{
    Prologue rules
    {
    }
    Body rules
    {
        /* If we don't trust the assembly engine or can't get indie it, we can have rules about identifiable content pieces here */
    }
    Epilogue rules
    {
    }
}

```

90

91


49

54

55

92

FIG. 6

Address  **NovaSoft**  
**CERTIFIED**

Instructions

Register

Options

Create new certificate


Mail to certification authority

**NEW England Bump Co.**

## Content Certifier

Certified Content are pages, documents and other files that are guaranteed to be up to date and approved. To be approved, they have had to go through some established process. The process may be anything from a complex, multi-person, multi-step, multi-department series of approvals to an author who wants to ensure that you're seeing the latest version.


Here are the certificates available to you. To use one, drag the document or folder onto the image of the certificate.



**NovaSoft Legal**

☐ Apply ☐ Detail ☐ Browse

Certifies that the content has been reviewed and approved by NEBC's Legal Department and may be relied upon for internal and external transactions.



**NovaSoft Mktg**

☐ Apply ☐ Detail ☐ Browse

Certifies that the pricing and product features are up to date and have been fully approved by NEBC's product marketing group.

FIG. 7




FIG. 8




FIG. 9




FIG. 10






FIG. 11



**FIG. 12**

**FIG. 13**







FIG. 14

**FIG. 15**



**FIG. 16**



**FIG. 17**

## INTERNATIONAL SEARCH REPORT

International application No.  
PCT/US01/09628

**A. CLASSIFICATION OF SUBJECT MATTER**

IPC(7) : Please See Extra Sheet.

US CL : 713/200, 201; 709/217, 218, 219, 226, 229; 707/103, 513, 514

According to International Patent Classification (IPC) or to both national classification and IPC

**B. FIELDS SEARCHED**

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 713/200, 201; 709/217, 218, 219, 226, 229; 707/103, 513, 514

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

Please See Extra Sheet.

**C. DOCUMENTS CONSIDERED TO BE RELEVANT**

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X,P	US 6,247,007 B1 (COOPERMAN ET AL) 12 JUNE 2001, SEE ENTIRE DOCUMENT	1-18
X	US 5,875,440 A (COOPERMAN ET AL) 23 FEBRUARY 1999, SEE ENTIRE DOCUMENT	1-18
X	WO 99/30218 (GONG) 17 JUNE 1999, SEE ABSTRACT, PAGE 3	1,7,13

☐ Further documents are listed in the continuation of Box C. ☐ See patent family annex.

* Special categories of cited documents:	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
"A" document defining the general state of the art which is not considered to be of particular relevance	"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
"E" earlier document published on or after the international filing date	"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	"&" document member of the same patent family
"O" document referring to an oral disclosure, use, exhibition or other means	
"P" document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search

30 JUNE 2001

Date of mailing of the international search report

01 AUG 2001

Name and mailing address of the ISA/US  
Commissioner of Patents and Trademarks  
Box PCT  
Washington, D.C. 20231

Facsimile No. (703) 305-3230

Authorized officer

CHRISTOPHER A. REVAR

Telephone No. (703) 305-9618

# INTERNATIONAL SEARCH REPORT

International application No.

PCT/US01/09628

## A. CLASSIFICATION OF SUBJECT MATTER:

IPC (7):

G06F 7/00, 11/30, 12/14, 15/00, 15/16, 15/173, 17/00, 17/21, 17/24; H04L 9/00, 9/32

## B. FIELDS SEARCHED

Electronic data bases consulted (Name of data base and where practicable terms used):

BRS (FILES: USPAT, DERWENT, JPO, EPO, IBM TDB'S), DIALOG (FILES: COMPSCI, ELECTRON, SOFTWARE)

search terms: object, objects, page, pages, link, links, url, address, rule, rules, restrict, restricted, restriction, privilege, privileges, hierarchy, hierarchical, hierarchial, follow, follows, complies, comply, complying, complied, accept, accepting, accepted, acceptable, permission, permitting, permitted, group, groups, grouping, grouped, classify, classifying, classified, categorize, categorized, categorizing



**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☒ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**